



SE-E-V

**Product description:**

SE-E-V is a galvanised threaded steel end cap made of rolled mild steel with zinc-nickel alloy plating.

This threaded steel end cap is used for Staro Gewinde-ES-V galvanised steel conduits with SM-E-V couplings. An advantage is that edge protection is provided.



VDE 0605
DIN EN 61386-21

**Special features**

This product is suited for the installation of circuit integrity cables (E30/ E60/ E90) and has been tested in the system.

Cat. No.:	Type	Outside Ø mm	Content	PU	Weight PU/kg	Overall length mm	Thread
204 90 016	16	19,6	25	PCS	0,300	30,0	M16x1,5
204 90 020	20	24,6	50	PCS	0,800	30,0	M20x1,5
204 90 025	25	30,8	50	PCS	1,300	36,0	M25x1,5
204 90 032	32	39,5	50	PCS	2,150	44,0	M32x1,5
204 90 040	40	49,5	25	PCS	1,550	50,0	M40x1,5
204 90 050	50	62,0	10	PCS	0,940	55,0	M50x1,5
204 90 063	63	78,2	5	PCS	0,795	60,0	M63x1,5

Standardisation

EN 61386-1:2009 Conduit systems for cable management - Part 1: General requirements / Source: Official Journal of the European Union of 16 May 2014 / Applied in full

EN 61386-21:2011 Conduit systems for cable management - Part 21: Particular requirements - Rigid conduit systems / Source: Official Journal of the European Union of 16 May 2014 / Applied in full

All dimensions without tolerances are for information only.



SE-E-V

Material properties		Fields of application	
Zero halogen	DIN VDE V 0604-2-100	on plaster	• machines
Low smoke	DIN EN 61034-2	under plaster	• hot asphalt
Non-flame propagating	DIN EN 61386-1	• on wood	• under screed
UV-resistant	DIN 53387	underground installation	• prefabricated construction
Highspeed		in concrete	• outdoor

Chemical properties	
Resistant to	oils, paint, water, weak alkalis and solvents
Limitedly resistant to	acids and strong bases
Not resistant to	sulphur

Risk analysis

The product has been manufactured and tested according to the harmonized standards 61386-1 and 61386-21 in the sense of harmonization legislation of the EU. All safety-relevant tests have been adhered to. This product poses no further risk.

Hotline

Since technical developments cannot be foreseen, electrical installations should provide the possibility to be expanded at any time.

Information can be obtained from our technical consultants at +49 9525 88-8123

